

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1	((drawn or spiral) near3 induct\$3) same (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic) or (physical near3 verification) or verif\$3 or verificat\$3 or test\$3 or analyz\$3 or analysis) and layer and (central near3 tap) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:34
L5	1	((drawn or spiral) near3 induct\$3) same (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic) or (physical near3 verification) or verif\$3 or verificat\$3 or test\$3 or analyz\$3 or analysis) and layer and (center near3 tap) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:34
L7	1	((drawn or spiral) near3 induct\$3) and (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic) or (physical near3 verification)) and (center near3 tap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:47
L8	9	(spiral adj inductor) same (center near3 tap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:49
L9	1	inductor with spiral with tap with (center or centre) with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:50
L10	1	inductor with spiral with tap with (center or centre) and binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:51
L11	2	inductor with spiral same binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:54
L12	2	inductor same spiral same binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:54

EAST Search History

L13	189	inductor same spiral and binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:54
L14	4	inductor same spiral same tap and binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:06
L15	56	inductor same (binary near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:08
L16	1	inductor same (binary near3 data) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:07
L17	2	inductor same (binary near3 data) same layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:08
S2	1	(drawn near3 induct\$3) and (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic)) and spir\$3 and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 12:43
S3	3	(drawn near3 induct\$3) and (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic)) and spir\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 12:47
S4	1	(drawn near3 induct\$3) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 12:45
S5	1036	(drawn near3 induct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 12:45
S6	3	inductor same LVS and spir\$3 and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 12:46

EAST Search History

S7	79	((drawn or spiral) near3 induct\$3) and (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic) or (physical near3 verification)) and spir\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 12:48
S9	2	((drawn or spiral) near3 induct\$3) and (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic) or (physical near3 verification)) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 16:09
S10	1	(drawn near3 induct\$3) same (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic)) and spir\$3 and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:55
S11	2	"20050229126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 15:52
S12	87	((drawn or spiral) near3 induct\$3) and (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic) or (physical near3 verification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:43
S13	24	((drawn or spiral) near3 induct\$3) and (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic) or (physical near3 verification) or verif\$3 or verificat\$3 or test\$3 or analyz\$3 or analysis) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 16:12
S14	11	((drawn or spiral) near3 induct\$3) same (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic) or (physical near3 verification) or verif\$3 or verificat\$3 or test\$3 or analyz\$3 or analysis) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:01
S15	10	((drawn or spiral) near3 induct\$3) same (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic) or (physical near3 verification) or verif\$3 or verificat\$3 or test\$3 or analyz\$3 or analysis) and layer and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:26

EAST Search History

S17	6	((drawn or spiral) near3 induct\$3) same (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic) or (physical near3 verification) or verif\$3 or verificat\$3 or test\$3 or analyz\$3 or analysis) and layer and uniform and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:29
S18	1	((drawn or spiral) near3 induct\$3) same (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic) or (physical near3 verification) or verif\$3 or verificat\$3 or test\$3 or analyz\$3 or analysis) and layer and (uniform near3 width) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:29
S19	2	((drawn or spiral) near3 induct\$3) same (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic) or (physical near3 verification) or verif\$3 or verificat\$3 or test\$3 or analyz\$3 or analysis) and layer and (uniform near3 width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:33
S20	1588	((drawn or spiral) near3 induct\$3) same (LVS or (layout adj versus adj schematic) or (layout adj vs adj2 schematic) or (physical near3 verification) or verif\$3 or verificat\$3 or test\$3 or analyz\$3 or analysis) and layer uniform and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 12:43



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((analysis and design and optimization and spiral and inductors)<in>metadata)"

Your search matched 22 of 1342376 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results set

Display Format:

☒ Citation ☐ Citation & Abstract[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **Experimental analysis of spiral integrated inductors on low circuit processes**
 Lee, J.; Lee, S.; Roblin, P.; Bibyk, S.;
[SoutheastCon, 2005. Proceedings. IEEE](#)
 8-10 April 2005 Page(s):116 - 120
 Digital Object Identifier 10.1109/SECON.2005.1423229
[AbstractPlus](#) | Full Text: [PDF\(2216 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Robust automated synthesis methodology for integrated sp variability**
 Nieuwoudt, A.; Massoud, Y.;
[Computer-Aided Design, 2005. ICCAD-2005. IEEE/ACM Interna](#)
 6-10 Nov. 2005 Page(s):502 - 507
 Digital Object Identifier 10.1109/ICCAD.2005.1560119
[AbstractPlus](#) | Full Text: [PDF\(773 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **High performance spiral inductors embedded on organic su applications**
 Lee, S.H.; Min, S.; Kim, D.; Dalmia, S.; Kim, W.; Sundaram, V.; E
 White, G.; Ayazi, F.; Kenney, J.S.; Swaminathan, M.; Tummala,
[Microwave Symposium Digest, 2002 IEEE MTT-S International](#)
 Volume 3, 2-7 June 2002 Page(s):2229 - 2232
 Digital Object Identifier 10.1109/MWSYM.2002.1012316
[AbstractPlus](#) | Full Text: [PDF\(421 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Analysis, design, and optimization of spiral inductors and tr RF ICs**
 Niknejad, A.M.; Meyer, R.G.;
[Solid-State Circuits, IEEE Journal of](#)
 Volume 33, Issue 10, Oct. 1998 Page(s):1470 - 1481
 Digital Object Identifier 10.1109/4.720393
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(352 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **5. A simple systematic spiral inductor design with perfected Q CMOS RFIC application**
Chih-Yuan Lee; Tung-Sheng Chen; Deng, J.D.-S.; Chin-Hsing K.
Microwave Theory and Techniques, IEEE Transactions on
Volume 53, Issue 2, Feb 2005 Page(s):523 - 528
Digital Object Identifier 10.1109/TMTT.2004.841216
[AbstractPlus](#) | Full Text: [PDF\(504 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **6. Design and analysis of novel compact inductor resonator filter**
Gye-An Lee; Megahed, M.; De Flaviis, F.;
Microwave Symposium Digest, 2002 IEEE MTT-S International
Volume 3, 2-7 June 2002 Page(s):1621 - 1624
Digital Object Identifier 10.1109/MWSYM.2002.1012168
[AbstractPlus](#) | Full Text: [PDF\(398 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **7. A broadband and scalable model for on-chip inductors in CMOS and conductor loss effects**
Guo, J.C.; Tan, T.Y.;
Radio Frequency integrated Circuits (RFIC) Symposium, 2005. I
2005 IEEE
12-14 June 2005 Page(s):593 - 596
Digital Object Identifier 10.1109/RFIC.2005.1489883
[AbstractPlus](#) | Full Text: [PDF\(224 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **8. The modeling, characterization, and design of monolithic integrated RF IC's**
Long, J.R.; Copeland, M.A.;
Solid-State Circuits, IEEE Journal of
Volume 32, Issue 3, March 1997 Page(s):357 - 369
Digital Object Identifier 10.1109/4.557634
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(324 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **9. Miniature multilayer spiral inductors for GaAs MMICs**
Geen, M.W.; Green, G.J.; Arnold, R.G.; Jenkins, J.A.; Jansen, R.
Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 1989
1989., 11th Annual
22-25 Oct. 1989 Page(s):303 - 306
Digital Object Identifier 10.1109/GAAS.1989.69348
[AbstractPlus](#) | Full Text: [PDF\(272 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **10. A simple systematic procedure of Si-based spiral inductor circuit**
Chih-Yuan Lee; Tung-Sheng Chen; Chin-Hsing Kao; Deng, J.D.
Yen; Yu-Kuo Lee; Jung-Ching Kuo; Jui-Fu Chang; Guo-Wei Hsu;
Ting-Shien Duh;
Radio Frequency Integrated Circuits (RFIC) Symposium, 2004. I
2004 IEEE
6-8 June 2004 Page(s):619 - 622
Digital Object Identifier 10.1109/RFIC.2004.1320697
[AbstractPlus](#) | Full Text: [PDF\(318 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **11. A broadband and scalable model for on-chip inductors in CMOS and conductor loss effects**
Jyh-Chyurn Guo; Teng-Yang Tan;
Electron Devices, IEEE Transactions on

Volume 53, Issue 3, March 2006 Page(s):413 - 421
Digital Object Identifier 10.1109/TED.2005.864409
[AbstractPlus](#) | Full Text: [PDF](#)(688 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ **12. Analysis and optimization of monolithic inductors and transformers**
Niknejad, A.M.; Meyer, R.G.;
[Custom Integrated Circuits Conference, 1997., Proceedings of the](#)
[5-8 May 1997](#) Page(s):375 - 378
Digital Object Identifier 10.1109/CICC.1997.606650
[AbstractPlus](#) | Full Text: [PDF](#)(348 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **13. Computer aided design of square spiral transformers and its application]**
Frlan, E.; Meszaros, S.; Cuhaci, M.; Wight, J.S.;
[Microwave Symposium Digest, 1989., IEEE MTT-S International](#)
[13-15 June 1989](#) Page(s):661 - 664 vol.2
Digital Object Identifier 10.1109/MWSYM.1989.38812
[AbstractPlus](#) | Full Text: [PDF](#)(292 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **14. Winding geometrical effects on the high frequency loss of inductor design**
Cheng, D.K.W.; Mo, W.K.; Lee, Y.S.;
[Power Electronics and Drive Systems, 1999. PEDS '99. Proceedings of the](#)
[1999 International Conference on](#)
[Volume 1, 27-29 July 1999](#) Page(s):16 - 21 vol.1
Digital Object Identifier 10.1109/PEDS.1999.794529
[AbstractPlus](#) | Full Text: [PDF](#)(456 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **15. Frequency-dependent analytical modeling of integrated inductor design of experiments theory**
Leduc, P.; Schellmanns, A.; Magnon, D.; Guitton, F.;
[Radio Frequency Integrated Circuits \(RFIC\) Symposium, 2004. IEEE](#)
[2004 IEEE](#)
[6-8 June 2004](#) Page(s):631 - 634
Digital Object Identifier 10.1109/RFIC.2004.1320700
[AbstractPlus](#) | Full Text: [PDF](#)(366 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **16. Application of micro-genetic algorithm (MGA) to a class of electromagnetic analysis and synthesis problems**
Mitra, R.; Chakravarty, S.; Yeo, J.;
[Antennas and Propagation Society International Symposium, 2002](#)
[Volume 1, 16-21 June 2002](#) Page(s):306 - 309 vol.1
Digital Object Identifier 10.1109/APS.2002.1016309
[AbstractPlus](#) | Full Text: [PDF](#)(288 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **17. Optimization of high Q CMOS-compatible microwave inductor using CMOS technology**
Min Park; Seonghearn Lee; Hyun Kyu Yu; Kee Soo Nam;
[Microwave Symposium Digest, 1997., IEEE MTT-S International](#)
[Volume 1, 8-13 June 1997](#) Page(s):129 - 132 vol.1
Digital Object Identifier 10.1109/MWSYM.1997.604539
[AbstractPlus](#) | Full Text: [PDF](#)(264 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **18. Study of geometrical effects on the high frequency winding inductor design**
Cheng, D.K.W.; Mo, W.K.; Lee, Y.S.;
Power Electronics and Variable Speed Drives, 1998. Seventh In Conference on (IEE Conf. Publ. No. 456)
21-23 Sept. 1998 Page(s):405 - 410
[AbstractPlus](#) | Full Text: [PDF\(516 KB\)](#) IEE CNF
- ☐ **19. Optimizing the design of spiral inductors on silicon**
Post, J.E.;
Circuits and Systems II: Analog and Digital Signal Processing, II [see also Circuits and Systems II: Express Briefs, IEEE Transac
Volume 47, Issue 1, Jan. 2000 Page(s):15 - 17
Digital Object Identifier 10.1109/82.818889
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(108 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **20. Optimization of high Q CMOS-compatible microwave induct CMOS technology**
Min Park; Seonghearn Lee; Hyun Kyu Yu; Kee Soo Nam;
Radio Frequency Integrated Circuits (RFIC) Symposium, 1997.,
8-11 June 1997 Page(s):181 - 184
Digital Object Identifier 10.1109/RFIC.1997.598777
[AbstractPlus](#) | Full Text: [PDF\(260 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **21. Analysis of multi-layer integrated inductors with wave conc procedure (WCIP)**
Akatiagool, S.; Bajon, D.; Baudrand, H.;
Microwave Symposium Digest, 2001 IEEE MTT-S International
Volume 3, 20-25 May 2001 Page(s):1941 - 1944 vol.3
Digital Object Identifier 10.1109/MWSYM.2001.967289
[AbstractPlus](#) | Full Text: [PDF\(267 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- 22. Wideband Passive Multi-Port Model Order Reduction and R Circuits**
Qi Zhenyu ; Yu Hao ; Liu Pu ; Tan Sheldon ; He Lei ;
IEEE Transactions on Computer-Aided Design of Integrated Circ
Accepted for future publication
Volume PP, Issue 99, 2005 Page(s):1 - 1
Digital Object Identifier 10.1109/TCAD.2005.855937
[AbstractPlus](#) | Full Text: [PDF\(472 KB\)](#) IEEE JNL

Help C

Indexed by
 Inspec

© Copyright 20


[Home](#) | [Login](#) | [Logout](#) | [Access Inform](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "((spiral and inductor and center and tap)<in>metadata)"

Your search matched 4 of 1342376 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set

Display Format:

☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Physical modeling of spiral inductors on silicon**
Yue, C.P.; Wong, S.S.;
Electron Devices, IEEE Transactions on
Volume 47, Issue 3, March 2000 Page(s):560 - 568
Digital Object Identifier 10.1109/16.824729
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(252 KB)
[Rights and Permissions](#)
- ☐ 2. **Centre-tapped spiral inductors for monolithic band**
Kuhn, W.B.; Elshabini-Riad, A.; Stephenson, F.W.;
Electronics Letters
Volume 31, Issue 8, 13 April 1995 Page(s):625 - 626
[AbstractPlus](#) | Full Text: [PDF](#)(172 KB) **IEE JNL**
- ☐ 3. **Predictive spiral inductor compact model for frequency domain**
Tiemeijer, L.F.; Havens, R.J.; de Kort, R.; Bouttemont
Ryczek, M.;
Electron Devices Meeting, 2003. IEDM '03 Technical Digest
8-10 Dec. 2003 Page(s):36.4.1 - 36.4.4
Digital Object Identifier 10.1109/IEDM.2003.1269418
[AbstractPlus](#) | Full Text: [PDF](#)(329 KB) **IEEE CNF**
[Rights and Permissions](#)
- ☐ 4. **Computer aided design of square spiral transform inductors [MIC application]**
Frlan, E.; Meszaros, S.; Cuhaci, M.; Wight, J.S.;
Microwave Symposium Digest, 1989., IEEE MTT-S In
13-15 June 1989 Page(s):661 - 664 vol.2
Digital Object Identifier 10.1109/MWSYM.1989.38812
[AbstractPlus](#) | Full Text: [PDF](#)(292 KB) **IEEE CNF**
[Rights and Permissions](#)